

AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing
A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031
P.O Box 240, North Melbourne, Victoria 3051
Phone (03) 9371 2400

TEST REPORT

Client : Aventino Group Pty Ltd T/AS Wonderwood Floors
Unit 1/27 Leeds Street
Rhodes NSW 2138

Test Number : 25-000635
Issue Date : 12/03/2025
Print Date : 12/03/2025

Sample Description Clients Ref : "Hydromate"
Laminate flooring planks
End Use : Flooring
Nominal Composition : HDF impregnated with decor layer and moisture resistant balance base
Nominal Thickness : 12mm



344775

75621

Page 1 of 2

© Australian Wool testing Authority Ltd
Copyright - All Rights Reserved

Samples, and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. The above test results are designed to provide THE CLIENT WITH GUIDANCE INFORMATION ONLY.

This document shall not be reproduced except in full and shall be rendered void if amended or altered.

This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved in advance by the Managing Director of AWTA Ltd.



Fiona McDonald

APPROVED SIGNATORY

MICHAEL A. JACKSON B.Sc.(Hons)
MANAGING DIRECTOR

AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing
A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031
P.O Box 240, North Melbourne, Victoria 3051
Phone (03) 9371 2400

TEST REPORT

Client : Aventino Group Pty Ltd T/AS Wonderwood Floors
Unit 1/27 Leeds Street
Rhodes NSW 2138

Test Number : 25-000635
Issue Date : 12/03/2025
Print Date : 12/03/2025

EN13229-2016
+A2-2021
Annex E

**Laminate Flooring Covering - Specifications
Requirements and Test Methods - Determination of Abrasion Resistance
and Abrasion Classification**

Date of Testing 12/03/2025

Wheel Type S-42
Load (grams) 500
Abrasive paper changed every 200 cycles

Specimen	Initial Wear Point(cycles)
1	6800
2	6800
3	6800
Mean	6800

Abrasion Class AC5

Abrasion Class	AC1	AC2	AC3	AC4	AC5
Average IP value from three test specimens	≥900	≥1800	≥2500	≥4000	≥6500

344775

75621

Page 2 of 2

© Australian Wool testing Authority Ltd
Copyright - All Rights Reserved


Samples, and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. The above test results are designed to provide THE CLIENT WITH GUIDANCE INFORMATION ONLY.

This document shall not be reproduced except in full and shall be rendered void if amended or altered.

This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved in advance by the Managing Director of AWTA Ltd.




Fiona McDonald
APPROVED SIGNATORY


MICHAEL A. JACKSON B.Sc.(Hons)
MANAGING DIRECTOR